

МРЕЖОВА ТЕХНИКА > РУТЕРИ

## **TP-Link ER8411 Omada VPN Router with 10G Ports, 1× 10G SFP+ WAN Port, 1× 10G SFP+ WAN/LAN Port, 1× Gigabit SFP WAN/LAN Port, 8× Gigabit RJ45 WAN/LAN Ports, 2× USB3.0 port, Integration with Omada SDN Controller, Dual Power Supply, Load Balance, Link Backup**

Модел : ER8411

TP-Link ER8411 Omada VPN Router with 10G Ports, 1× 10G SFP+ WAN Port, 1× 10G SFP+ WAN/LAN Port, 1× Gigabit SFP WAN/LAN Port, 8× Gigabit RJ45 WAN/LAN Ports, 2× USB3.0 port, Integration with Omada SDN Controller, Dual Power Supply, Load Balance, Link Backup

TP-Link ER8411 Omada VPN Router with 10G Ports, 1× 10G SFP+ WAN Port, 1× 10G SFP+ WAN/LAN Port, 1× Gigabit SFP WAN/LAN Port, 8× Gigabit RJ45 WAN/LAN Ports, 2× USB3.0 port, Integration with Omada SDN Controller, Dual Power Supply, Load Balance, Link Backup

Network Device Type: Router

Data Link Protocol Supports (New): LAN

Инсталиран капацитет флаш памет: 256 MB

Installed RAM: 4 GB

WAN: 1 x 10Base-T/100Base-TX/1000Base-T2 x 10GbE

LAN: 8 x 10Base-T/100Base-TX/1000Base-T up to 1

Supported Networking Compliant Standards: IEEE 802.1Q(VLAN)

Protocols (OSI Model): PPPoE

IPv6

ICMP

IGMP

TCP(Crypt)

UDP

L2TP

PPTP

SSL

Application Layer: DNS

FTP

UPnP

Authentication, Authorization, Accounting (AAA Protocol): RADIUS

Firewall Functions and Protocols: SPI (Stateful Packet Inspection)

NAT Support

IP Filter

URL Filter

DMZ Support

MAC address filtering

DoS Attack Protection

Router Features: Web Interface

DHCP Server

Разположение на устройството: Plug-in Module  
Status LED Indicators: Activity Status  
Сертификати: CE, FCC, RoHS  
Вградени устройства: Reset Button  
Включени аксесоари: Ръководство за употреба  
Монтажен комплект  
Включени кабели: Захранващ кабел  
SFP+: 2  
SFP: 1  
LAN/WAN: 8 (RJ-45)  
Сериен: 1 (RJ-45)  
USB 2.0: 2 (USB 2.0 (type A))  
Разположение на захранването: Вътрешен  
Максимална входна честота: 60 Hz  
Минимална входна честота: 50 Hz  
Максимално входно напрежение: 240 V  
Минимално входно напрежение: 100 V  
Максимална консумирана енергия: 26.36 W  
Ширина: 220 мм  
Височина: 44 мм  
Дълбочина: 440 мм  
Външен цвят: Черен  
Максимална температура на околната среда: 40 °C  
Макс. влажност на околния въздух: 90 %  
Минимална температура на околната среда: 0 °C  
Мин. работна влажност на въздуха: 10 %  
Гаранционни продукти - подлежащи на връщане: Да  
Гаранционни условия (месец): 60 мес.  
Критерии за валидност на гаранцията: Сериен номер  
Тегло на пакет - Бруто (кг): 1 кг  
Тегло на пакет - Нето (кг): 1 кг  
Брой в пакет: 1  
Тегло на кашон - Бруто (кг): 1 кг  
Retail Packaging Net Weight Carton: 1 кг  
Retail Packaging Net Weight Plastic: 1 кг  
Пакети в кашон: 1  
Тип пакет: Box  
Economic operator in EU / authorized representative: TP-LINK  
Deutschland GmbH  
Postal address: Am Trippelsberg 100, 40589 Dusseldorf,  
Germany  
Electronic address: <https://www.tp-link.com/de/>  
Гаранция: 60 месец(а)

Цена : 1189.63 лв. с ДДС



Наличност: Този продукт е бил добавен в нашия каталог на Чт 07 август, 2025

August 10, 2025, 12:15 PM